

berelli.

berelli.com

JALIS50

BY berelli.

PART OF THE
VELORA

ARCHITECTURAL COLLECTION

BERELLI.COM/VELORA



JALIS 50


BY berelli.

An extended horizontal linear LED pendant of six textured cast-glass discs aligned face-on along a slim central support, suspended from a rectangular canopy. The extended composition delivers a graphic horizontal moment across long spans. Specified for long dining tables, conference rooms, restaurant bars and reception zones where the disc rhythm reinforces the workplane proportion.

ORDER GUIDE:

JALIS50-PF03-3000K-010V

Model:	JALIS 50
Finishes:	Explore available finish options through the Berelli Studio - berelli.com/studio
Color Temperature:	☐ 2200K ☐ 2700K ☐ 3000K ☐ 3500K ☐ 4000K ☐ 5000K
Dimming: (Dim to 1%)	☐ 0-10V ☐ Phase ☐ Dali ☐ ELV
IP Rating:	IP20
Voltage:	120-277 V
Wattage:	36 Watts
Lumen Output:	3000 Lumens
Light Source:	LED
CRI:	90+
Weight:	3.7 kg
Warranty:	5 years



Custom options available upon request

Project:
Spec Type:
Notes:

berelli.

berelli.com

